



#### Guaranteed Analysis

Copper (Cu) . . . . .7.5%  
7.5% Chelated copper  
Derived from copper ethylenediaminetetraacetate.

# Statera 7.5% Cu EDTA

**KEEP OUT OF REACH OF CHILDREN**

## **WARNING**

**Causes skin irritation. Causes eye irritation.  
Very toxic to aquatic life.**



#### **GENERAL INFORMATION**

Statera 7.5% Cu EDTA is a fully chelated solution recommended for the prevention and/or correction of copper deficiency in all crops when used as a part of a balanced fertility program.

#### **PRECAUTIONARY STATEMENTS**

Wash hands, forearms and face thoroughly after handling. Avoid release to the environment. Wear eye protection, face protection, skin protection, clothing protection. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see additional precautions on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. Collect spillage. Dispose of contents/-container at a licensed hazardous waste facility in accordance with state and local regulations.

#### **DIRECTIONS FOR USE**

**SOIL APPLICATION:** Statera 7.5% Cu EDTA is recommended for use on all types of soils. Because this is a concentrated solution, it should be diluted before use to ensure uniform coverage. Soil applications may be made by drip, sprinkler or furrow irrigation systems or in band or broadcast fertilizer applications. For trees or individual plants, the product may be diluted as above or sprinkled directly on the soil uniformly under the plant's drip line, then watered in.

**NOTE:** The rates given below are based on broadcast application. If broadcast rates are used for spot or banded applications, phytotoxicity may result.

Field, Row, Vegetable Crops: Apply 1-3 quarts per acre.

Fruit, Tree and Vine Crops: Apply 1-4 quarts per acre or 1-5 Tbsp. per inch of tree diameter.

Ornamentals: Apply 2 Tbsp. for small shrubs and up to 2 Tbsp. per inch of tree diameter for large trees and shrubs.

#### **NET CONTENTS:**

**2.5 Gallons (9.46 Liters)**

#### **NET WEIGHT:**

**26.27 lbs (11.91 kg)**

Ready To Grow, LLC  
30952 M-60 | Leonidas, MI 49066  
(269) 303-8580

**FOLIAR APPLICATION:** Avoid applying this product when plants are suffering from moisture stress. If there is any doubt, apply the spray solution to a small test area of the crop or foliage to assess any undesirable effects or phytotoxicity before general application.

Field, Row, Vegetable Crops: Apply 1-2 pints per acre in a minimum of 20 gallons water.

Fruit, Tree and Vine Crops: Apply 1-2 pints per acre in a minimum of 25 gallons water. For smooth skinned fruit apply 1 pint per acre in 50-100 gallons of water.

Citrus: Apply 1-2 pints per 100 gallons of cover spray any time except during bloom.

Aerial: Apply 1/2-1 pint per acre in at least 10 gallons of water.

Optimum rate of application will vary depending on soil properties (such as pH, organic matter content, texture), weather conditions, time of year, general crop health and crop species. For best results, follow soil or plant tissue test recommendation to monitor specific levels of micronutrients and maintain these levels for optimum plant growth.

#### **FIRST AID**

**SKIN:** Wash with soap and water for 10-15 minutes . If irritation persist, get medical attention.

**EYES:** Flush with cool water for at least 15 minutes. Remove contact lenses if present and easy to do; continue rinsing. If irritation persist, get medical attention.

**INGESTION:** Drink large amounts of water. **DO NOT INDUCE VOMITING.** Get medical attention immediately or call a Poison Control Center. Do not give anything by mouth to an unconscious person.

**INHALATION:** Get person to fresh air. If unconscious get medical attention.

When contacting a physician, have SDS and product label available.

For Chemical Emergency: Call the **POISON CONTROL CENTER** at 800-222-1222

#### **MIXING AND HANDLING INSTRUCTIONS**

Put 1/3 to 2/3 of total required water volume in tank. Add adjuvants, other fertilizers and pesticides if desired and agitate until thoroughly mixed. Add recommended amount of this product and agitate until mixed. Fill tank with remainder of water and buffer to pH 6-6.5. Caution: Check chemical mixture compatibility using a jar test prior to application.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Keep out of reach of children. Store away from incompatible materials. Dispose of contents/container in accordance with local authority requirements.

#### **CONDITIONS OF SALE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of **MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE**, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.