



Statera Corn Mix EDTA

KEEP OUT OF REACH OF CHILDREN

Toxic to aquatic life

PRECAUTIONARY STATEMENTS

Avoid release to the environment. Dispose of contents/container in accordance with national/regional/local regulations.

GENERAL INFORMATION

Statera Corn Mix EDTA should be used to prevent and/or correct copper, manganese and zinc deficiencies. Apply this product alone or in combination with compatible agriculture chemicals or liquid fertilizers, including those containing 100% orthophosphate and suspensions.

FIRST AID

SKIN: Wash with soap and water for 10-15 minutes . If irritation persist, get medical attention.

EYES: Flush with cool water for at least 15 minutes. Remove contact lenses if present and easy to do; continue rinsing. If irritation persist, get medical attention.

INGESTION: Drink large amounts of water. **DO NOT INDUCE VOMITING.** Get medical attention immediately or call a Poison Control Center. Do not give anything by mouth to an unconscious person.

INHALATION: Get person to fresh air. If unconscious get medical attention.

When contacting a physician, have SDS and product label available. For Chemical Emergency: Call the **POISON CONTROL CENTER** at 800-222-1222

NET CONTENTS:

2.5 Gallons (9.46 Liters)

NET WEIGHT:

26.25 lbs (11.9 kg)

Ready To Grow, LLC
30952 M-60 | Leonidas, MI 49066
(269) 303-8580

Guaranteed Analysis

Copper (Cu)	0.5%
0.5% Chelated Copper	
Manganese (Mn)	0.5%
0.5% Chelated Manganese	
Zinc (Zn)	4.5%
4.5% Chelated Zinc	
Derived from: copper di-ammonium EDTA, manganese di-potassium EDTA, zinc di-ammonium EDTA	

DIRECTIONS FOR USE

Soil Application

Apply in-furrow, 2x2, or at sidedress or topdress. Do not apply directly on the seed in saline, alkali, or coarse textured soils.

Foliar Application

Fill spray tank with water before adding fertilizer or other products. Use only as a supplement to a regular nutrient management program. Repeat applications may be beneficial. To avoid foliar burn, use as directed. Do not apply during periods of high temperatures or if crop is excessively stressed for moisture. Apply with a surfactant to enhance leaf coverage and increase nutrient absorption.

RECOMMENDED RATES

Statera Corn Mix EDTA should be used on the basis of a soil and/or tissue analysis. In the absence of soil and/or tissue analysis, use the suggested application rates for one growing season (gallons per acre).

Application	Use Rate (per acre)	Timing
Soil (broadcast)	2-3 gallons	Before planting
Soil (2x2)	2-8 quarts	
Soil (in furrow)	1-2 quarts	At planting
Foliar	1-2 pints	V5-V6

STORAGE

Store in fiberglass, stainless steel, or poly tanks. Do not store in carbon steel tanks. All forms of copper react with carbon steel. This reaction could cause red or black copper to drop out, decreasing the copper analysis.

DO NOT FREEZE

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.